



# AVP 505

Volvo Penta  
Mecc Alte  
D+' &'



Manufacturer	Volvo Penta		
Model	TAD1345GE		
		% \$ \$ ' "# "	
		441,00 kw [600,00HP]	
	L	12,780	
	"	131X158	
		18,1:1	
	fl # ı	"# "	1500
	fl "ı	L	36,00
		L	44,00
AbsorbedAirDischargeReSourceKey.Text	' # "	27,60	
	' # "	402,00	
	' # "	58,30	
	° C	570,00	
		24 V d.c.	
	Load	% \$ \$ı	'+)ı
	# "	) \$ı	
		91,80	69,20 46,60

		Mecc Alte
		ECO40 3S/4
	Hz	50
	"	500,00
7cg'		0,80
		3
	ıfl ı	400/230
	A	721,70


		ıfl "ı		ıfl "ı	
	"	"	"	"	L
AVP 505		3213,00	1550,00	2477,00	700,00
		ıfl "ı		ıfl "ı	
	"	"	"	"	L
MS 70	4205	4460	1606	2477	700

# AVP 505

Volvo Penta  
Mecc Alte  
D+' &'



## 1 D+' &'



### 2

8G9ž +' &\$ž ) 5ž&&\$#(\$

### 3

### 4

### 5


8G9+' &\$ž &&\$' ž

8G9+' &\$ž 8G9+' &\$ž

% &1 \*(' žFG&' &žFG(,) ž


# AVP 505

Volvo Penta  
Mecc Alte  
D+ &



# AVP 505

Volvo Penta  
Mecc Alte  
D+ &



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

	"	1606
fl "L	"	4460
fl "L	"	2477
	L	700