

# AC 55

Cummins  
Mecc Alte  
P 602



<b>ISO8528</b>	GC, ) &
<b>SZUTEST</b>	GC - \$\$\$
<b>CE</b>	

**2000/14/EC**

&\$\$\$#( #

z) \$ z'z' D:

	"	kw	"	kw	Amp
400/230	55,00	44,00	50,00	40,00	72,00

fPQDE GC, ) &

fDF DE %\$! % %& GC" \$(\* z&( GC

**Standard Specifications**

z

fl ! E

z

z

**ALTERNATOR**

fl

fl " E

fPQ \$\$\$ \$\$\$ E

fl " \$ E

**TRANSFER SWITCH**

fl

# AC 55

Cummins  
Mecc Alte  
P 602

Manufacturer		Cummins		
Model		S3,8-G6		
		% \$ \$' "# "		
		53,70 kw [71,90HP]		
	L	3,800		
	"	97 x 128		
		17,5:1		
	fl # ı	"# "	1500	
	fl ı	L	11,00	
		L	14,50	
AbsorbedAirDischargeReSourceKey.Text	' # "	3,60		
	' # "	82,00		
	' # "	4,20		
	° C	546,00		
		12 V d.c.		
	Load	% \$ \$ı	'+)ı	) \$ı
	# "	12,80	9,50	6,50

		Mecc Alte
		ECO 32-1L/4
	Hz	50
	"	50,00
7 cg'		0,80
		3
	ıfl ı	400/230
Temperature		H

		ıfl ı		ıfl ı	
	"	"	"	"	L
AC 55	870,00	1780,00	950,00	1198,00	105,00
		ıfl ı		ıfl ı	
	"	"	"	"	L
AK 30	1140	2470	1010	1461	100

# AC 55

Cummins  
Mecc Alte  
P 602

## 1. D \* \$ & !



- 1 A U]b'gUhi g'X]gd'Umł
- 2 8 ]gd'UmglVc''Vi hrcb"
- 3 DU[ Yf]bz:fa U]jcbL'Vi hrcb"
- 4 7 ca a cb U'Ufa ]bX]W]hrcf"
- 5 GHUhi g'@98fj"
- 6 C dYfU]jcb'gY'YV]b[ 'Vi hrcbg"

8G9ža cXY\*\*\$&\$'5i hA U]bg: U]i fy Věbfhc''a cXi 'Y'  
6UHf'fmVxUf[ Yf]bdi h%, !&\*( j c'hžci rdi h''&+ž' j ) '5'f&( j'łcf'% ž j c'h) 5'f&U ž  
9a Yf[ YbV]hrcd' di g\ 'Vi hrcb'UbX ž gYg žc'fVěbfhc' V]fVW ]jg"

7 ca dcbYbrg ]bghU'YX ]b'g'YYhghYY'YbWcgi fy" D\cgd\Uf'WYa ]W'ždfY!VěU]b[ 'cZghYY'dfcj ]Xyg Věffcg]cb  
fYg]ghUbhgi fZUW''Dc'mYghYfVěa dcdg]Y dck XYf'hdVěU]hž:fa g\]] \ [ 'cgg'UbX'Yi fYa Y'mXi fU'Y ž]b]g\''@cV\U'V  
UbX\]b[ YX dUbY'Xccf dfcj ]Xyg YUgmUVWVgg hrc' Věa dcbYbrg"

'7 cbfhc'dUbY' ]g'a ci bHYX'cb VUgYZUa Y k ]h' gHY'ghUbX''@cW]hYX'UhiX'Y f[ \ h]g]XY cZH'Y [ YbYfU]hrcf'gyhfk \Yb'nci  
'cc\_UhiX'Y; Yb''GYH'žca '5'fYfbU]hrcfL

H\Y'8G9\*\*\$&\$' ]g'U'ghUbXUfX Věbfhc''a cXi 'Y'žc'ci f[ YbYfU]hrcf'gYhg'i d'hc'&\$\$\_J 5'UbX'ih\Ug VYYb'XYg][ bYX'hc  
ghUfhUbX'ghrcd'X]YgY' UbX' [ Ug[ YbYfU]hrcf'gYhg''H\Y'8G9\*\*\$&\$' a cXi 'Y'\Ug'VYYb'XYg][ bYX'hrc'a cb]hrcf [ YbYfU]hrcf  
žYei YbV]žj c'žW'fYbžYb[ ]b'Y'c' d'fYggi fyžVěc'Ubh'Y a dYfU]h' fY' fi bb]b[ \ci fg'UbX' VU]hY'fmj c'hg''A cXi 'Y'  
a cb]hrcf'g'h'Y a U]bg'gi dd'mUbX'gk ]W' c] Yf'hc'h'Y [ YbYfU]hrcf'k \Yb'h'Y a U]bg'dck Yf'žU]g''H\Y'8G9\*\*\$&\$'U'gc  
]bX]W]hY'g'cdYfU]jcbU'ghUhi g'UbX'žU' h'VěbX]h]cbgž'5i hca U]hW'mg\i h]b[ 'Xck b'h'Y; Yb''GYhUbX'[ ] ]b[ 'f'i Y'žfghi d  
žU' h'VěbX]h]cb'cž; Yb''GYhžU]i fY''H\Y'@7 8 X]gd'Um]bX]W]hY'g'h'Y žU' h'

A ]WědfcW'ggcf Věbfhc''YX"  
@7 8 X]gd'Uma U\_Yg ]bž:fa U]jcb'YUgmhc'fYUX"  
(! ]bžž\*( 1 % &d] Y'X]gd'Umł  
5i hca U]hW'mifUbgžf'g'YVh'YYb'a U]bg'fi h]'hrc'UbX' [ YbYfU]hrcf'dck Yf'  
A Ubi U'dfc[ fUa a ]b[ 'cb'žcbhdUbY''  
I gYf]ž]YbX'mgYh'i d'UbX'Vi hrcb''Unci h'  
F Ya cH'ghUf'ł  
9j Ybh'c[ [ ]b[ 'f] h'g\ck ]b[ 'XUf'UbX'h'a Y"  
7 cbfhc'g' Ghcd#F YgYž'A Ubi U'ž5i hczHYghžGHUf'žVi hrcbg''5b'UX]h]cbU'di g\ 'Vi hrcb'bYl hrc'h'Y @7 8 X]gd'Um]g'  
i gYX'hrc'g]Vc''h'fci [ \ h'Y'a cXi 'Y'gfa Yh'f]b[ 'X]gd'Um]g'

# AC 55

Cummins  
Mecc Alte  
P 602

9B: #9  
9b[ ]bY'gdYYX"  
C]'dfYggi fY"  
7cc'UbhY'a dYfUhi fY"  
F i b' hja Y"  
6UHYfmj c'rg"  
7cbZ[ i fUVY' hja ]b[ "  
; 9B9F 5HCF  
J c' hU[ Y f@ @B' "  
7i fFYbhf@&!@ E"  
: fYei YbVW"  
A 5-BG  
J c' hU[ Y f@ @B' "  
: fYei YbVW"  
A U]bg'fYUXn"  
A U]bg'YbUV'YX"  
; Yb"GYhfYUXn"  
; Yb"GYhYbUV'YX"

K 5F B-B;  
7\Uf[Y Z]i fY"  
6UHYfm@ck #:[ \ ] c' hU[ Y"  
: U] 'hc' ghcd"  
@ck #:[ \ ] [ YbYfUhc'f'j c' hU[ Y"  
I bXYf#j Yf[ YbYfUhc'f'Z'Yei YbVW"  
Cj Yf# bXYf'gdYYX"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
G<I H8CK BG  
: U] 'hc' gHfH"  
9a Yf[ YbVW'ghcd"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
Cj Yf# bXYf'gdYYX"  
I bXYf#j Yf[ YbYfUhc'f'Z'Yei YbVW"  
I bXYf#j Yf[ YbYfUhc'f' c' hU[ Y"  
C]'dfYggi fY'gYbgcf'cdYb"  
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"  
9@97 HF =75@HF -D  
: YbYfUhc'f'c'j YfW'fYbH"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k ]h' h'Ya dYfUhi fYz  
dfYggi fYz dYfVW'bH[ Y f'k Ufb]b[ #]i h'Xck b# 'YVW'VW' h'f'dL  
@c'W'gYh]b[ 'dUfUa YHfg'UbX'a cb]h'f]b[ 'Zca 'D7' hc  
V'c'bfcc' a cXi 'Y'k ]h' I G6 V'c'bbYVW]cb'fa Ul '\* 'a H'

9'YVW]VW' GUZYhm#9A 7 V'c'a dUfV] ]hm6G'9B '\* \$-) \$  
9'YVW]VW' Vi g]bYgg'Yei ]da YbH  
6G'9B '\*%\$!\*&9A 7 ]a a i b]migtUbXUfX"  
6G'9B '\*%\$!\*&('9A 7 Ya ]gg]cb'ghUbXUfX

'6UHYfmVUf[ Yf ]g'a Ubi ZVW' fYX'k ]h' 'gk ]h'W]b[ !a cXY'UbX'GA 8 'YVW'bc'c[ mUbX'ih\Ug\ ] [ \ YZ]VW'YbVW' 6UHYfmVUf[ Yf  
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g' ]'Ua dYfz% z' ]'Zcf'%&j'c'hUbX'&+Z' ]'Zcf'&'( ]'  
#bdi h% , ' !&\* ( j c'h57 "'Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb VY i gYX'Ug'U'W'fYbHgc'fVW"  
Dfc]bY'%&\$) #&(\$) VUf[ Yf\Ug\ ] [ \ YZ]VW'YbVW'cb[ ]Z'Z'ck ZU]i fY'fUfYz' ] [ \ hk Y] [ \ hUbX'ck \YUhfUX]UfYX ]b  
UVV'cfXUbW'k ]h' ]'bYUf'U'HYfbU]h'j Yg' H\Y'VUf[ Yf ]g'Z'hYX'k ]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[ Y'Z]  
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei ]ddYX'k ]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX  
Zca 'h'Y'XY'jVW'; Uj Ub]W' m]gc'UfYX ]bdi hUbX'ci hdi h]m]VW'm(\_J'Zcf'\ ] [ \ fY' ]UV] ]h'

# AC 55

Cummins  
Mecc Alte  
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Base frame -fuel tank.
- 6 Lockable, large doors on each side.
- 7 Lifting Points

	"	1010
fl "L	"	2470
fl "L	"	1461
	L	100