

APD 25 A

Aksa
Aksa P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	25,00	20,00	23,00	18,40	33,00


fP GDE GC ;) &

fDF DE z & GC " \$ (*

%) & z % % &

Standard Specifications

Aksa power generation system, providing optimum performance, reliability, and versaity for stationery standby, prime power, and continuous duty applications. All generator sets are prototype tested, factory build, and production tested.



APD 25 A

Aksa
Aksa
P 602

Manufacturer		Aksa			
Model		A4CRX25			
		<table border="1"> <tr> <td>% \$ \$ ' "# "</td> </tr> <tr> <td>& (& \$ ' "</td> </tr> <tr> <td>0 & \$ \$ < DQ</td> </tr> </table>	% \$ \$ ' "# "	& (& \$ ' "	0 & \$ \$ < DQ
% \$ \$ ' "# "					
& (& \$ ' "					
0 & \$ \$ < DQ					
	L	2,540			
	"	90 X 100			
		18.0:1			
	fl # ı	"# " 1500			
	fl ı	L 8,50			
		L 11,00			
Absorbed Air Discharge ReSourceKey.Text	' # "	1,90			
	' # "	113,00			
	' # "	5,00			
	° C	480,00			
		12 V d.c.			
	Load	% \$ \$ ı			
	# "				
		5,50			

		Aksa
		AK218
	Hz	50
	"	22,50
7 cg'		0,80
		3
	ı	400/230
	A	32,00

		ı	ı	ı	ı
	"	"	"	"	L
APD 25 A	665,00	1500,00	900,00	1060,00	95,00
		ı	ı	ı	ı
	"	"	"	"	L
ASM 3	790,00	1940	970	1220	95

APD 25 A

Aksa
Aksa P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgWfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa ']bX]WUrcf''
- 5 GHUhi g'@98fg''
- 6 C dYfUhjcb'gY'YVW]b['Vi hrcbg''

2

8G9ža cXY''\$&\$'5i hc' A U]bg': U]i fy'Včbfcc''a cXi 'Y'
6UHyfmVUf[Yf]bdi h%, !&* ('j c'hžci rdi h''&+ž' 'j) '5'f&('j Ecf'% ž 'j c'h) 5'f&J k
9a Yf[YbVnhrcd' di g\ 'Vi hrcb'UbX ž gYg'Zcf'Včbfcc''V]fV]rg''

3

7 ca dcbYbrg']bghU''YX']b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]W'ždfy!VčUh]b['cZghYY''dfcj]XYg'Včfcg]cb
fyg]ghUbhgi fZUW''Dc'mYgYf'Včca dcg]Y' dck XYf'rcdVčUhZcfa g\]] \ ['cgg'UbX'YI hYa Y'mXi fUV'Y ž]b]g\''@cV\UV'
UbX\]b[YX'dUbY'Xccf'dfcj]XYg'YUgmUWV'gg'hc''Včca dcbYbrg''

4

'7 cbfcc'dUbY''jg'a ci bHYX'cb'VUgYZUa Y k]h' ghYY''ghUbX''@cWUHYX'UhY'Y f] [\hg]XY'cZH'Y [YbYfUrcf'gyhfk \Yb'nci
'cc_'UhY'Y; Yb''GYH'Zca '5'Yf'fUrcf'k

5

HV''8G9''\$&\$']g'U'ghUbXUfX'Včbfcc''a cXi 'Y'Zcf'ci f [YbYfUrcf'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Uj'Y'VYYb'XYg]] bYX'hc'
ghUfhUbX'ghrcd'X]YgY'UbX' [Ug[YbYfUrcf'gYhg''HV''8G9''\$&\$' a cXi 'Y'Ug'VYYb'XYg]] bYX'hc''a cb]rcf [YbYfUrcf'
Z]Yei YbVčžj c'ž'W'fYbž'Yb[]b'Y'c']dfYggi fyžVčc'UbhY'a dYfUhi fy'fi bb]b[\ci fg'UbX'VUHY'fmj c'lg''A cXi 'Y'
a cb]rcf'g'h'Y a U]bg'gi dd'mUbX'gk]W'c']Yf'hc' h'Y [YbYfUrcf'k \Yb'h'Y a U]bg'dck Yf'ZU]g''HV''8G9''\$&\$'U'gc
]bX]WUHY'g'cdYfUhjcbU'ghUhi g'UbX'Zji 'hVčbX]h'cbgž'5i hca Uh]W'mg\i h]b['Xck b'h'Y; Yb''GYhUbX' []]b['h'Y'Z]fghi d
Zji 'hVčbX]h'cb'cZ; Yb''GYhZU]i fy''H'Y '@78'X]gd'Um]bX]WUHY'g'h'Y'Zji 'h'

A]WčdfcW'ggcf'Včbfcc''YX''
@78'X]gd'Uma U_Yg']bZcfa Uhjcb'YUgmhc'fYUX''
(!']bYž*('1' % & d]]Y'X]gd'Um'

5i hca Uh]W'mifUbgZyfg'VYh'YYb'a U]bg'fi h]h'hc'UbX' [YbYfUrcf'dck Yf''
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYh'i d'UbX'Vi hrcb''Unci h'
' : fcbhdUbY'dfc[fUa a]b[''
FYa cHY'ghUffh'
9j Ybh'c[[]b['f]sg\g'ck]b['XUY'UbX'h'a Y''
7cbf'c'g' Ghcd#F'YgYh'Z' A Ubi U'Z'5i hcž'HYgh'GHUf'z'Vi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc' h'Y '@78'X]gd'Um]g'
i gYX'hc'gVčc''h'fci [\ h'Y'a cXi 'Yg'f'a Yh'f]b['X]gd'Um]g''

APD 25 A

Aksa
Aksa P 602

9B: 9B
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUV'Y hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn'
A U]bg'YbUV'YX"
; Yb"GYhfYUXn'
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] h' ghcd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] h' ghUf"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
I bXYf#j Yf [YbYfUhc'f c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW ffYbh'

: 'YI J'Y'gYbgcf'WVb VY V'c'UbhY'a dYfUhi fY'Z
dfYggi fY'Z dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f'dL'
@c'WV'gYh]b['dUfUa YH'fg'UbX'a cb]h'f]b['Zca 'D7 h'
V'c'UbhY'a cXi 'Y k]h' I G6 V'c'UbhY'a dYfUhi fY'Z

9'YVW'VW' GUZYhm#9A 7 V'c'UbhY'a dYfUhi fY'Z
9'YVW'VW' Vi g]bYgg'Yei]da Ybh'
6G'9B *%\$\$!*!&9A 7]a a i b]mighUbxUfX"
6G'9B *%\$\$!*!('9A 7 Ya]gg]cb'ghUbxUfX"

'6UHYfmVWUf[Yf]g'a Ubi ZVW' fYX'k]h' gk]h'W]b[!a cXY'UbX'GA 8 fYVW'bc'c[mUbx'ih\Ug \] [\ YZ]VW'YVW' 6UHYfmVWUf[Yf
a cXY'gfci hdi hJ !=VWUfUWV'f]gh]W]g'j YfmV'c'gY' h'c'gei UfY'UbX'ci hdi h]g']'Ua dYfZ'% z 'J 'Zcf'%&j c'hUbX'&+Z' 'J 'Zcf'&'('J '
#bdi h% , ' ! &* (j c'h57 "" Dfc]bY'&(\$) \Ug'Z 'mici hdi hg\chVWV]hdfchVW]cb'UbX'ihVWb'VY i gYX'Ug'U'VW'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) V'WUf[Yf'\Ug'\] [\ YZ]VW'YVW'cb[']Z'Z'ck ZU]i fY'fUfY'Z'] [\ hk Y] [\ hUbX'ck \ YUhfUX]UfYX']b
UWV'c'fXUbW'k]h']bYUf'U'fYbU]h'j Yg' H\Y'VWUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UW'cgg'h'Y'ci hdi h'7 cbbYVW'VWUf[Y'Z]
fY'UmV'c'] VYh'YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f' h'c' fYXi V'Y'YVW'VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW'; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]d]VW'm(_J 'Zcf'\] [\ fY']UV']h'f'

APD 25 A

Aksa
Aksa P 602

5GA " !'



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 Base frame -fuel tank.
- 9 Lifting Points.
- 10 sound proofing materials.

5

	"	970
f1 "L	"	1940
f1 "L	"	1220
	L	95